



# eduBuzzer

Basestation status: **Connected**

Connected buzzers: **20**

[Home](#)
[Raise Your Hands](#)
[Who Wants to Be a Millionaire](#)
[Vote](#)
[More...](#)

Interaction design of teacher frontend

by Stefan Ladstätter (ladstaetter@matic.at) und Max Scheugl (max@scheugl.com)

Project wiki: <http://metalab.at/wiki/HSC2011>

Term	Description
application (or app)	application running on frontend (e.g. "voting")
basestation	USB device with server software and receiver
button	hardware button on buzzer
buzzer	client with hardware buttons
client	buzzer as represented in the frontend
frontend	webapp running in web browser on teacher's laptop
iButton	for personalization of buzzer

History:

v0.1: Initial version based on protocol of April 1st meeting @ metalab.



# eduBuzzer

Basestation status: **Connected**

Connected buzzers: **20**


Home

Raise Your Hands

Who Wants to Be a Millionaire

Vote

More...





# eduBuzzer

Basestation status: **Connected**

Connected buzzers: **20**


Home

**Raise Your Hands**

Who Wants to Be a Millionaire

Vote

More...



Start Timer

Timeout:

00:30





# eduBuzzer

Basestation status: **Connected**

Connected buzzers: **20**

Home

**Raise Your Hands**

Who Wants to Be a Millionaire

Vote

More...



Stop Timer

Timeout:

00:14





# eduBuzzer

Basestation status: **Connected**

Connected buzzers: **20**

Home

**Raise Your Hands**

Who Wants to Be a Millionaire

Vote

More...



Correct Answer!

Start new Timeout

New random

